

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 8

999 18<sup>TH</sup> STREET- SUITE 300 DENVER, CO 80202-2466 Phone 800-227-8917 http://www.epa.gov/region08



Ref: 8EPR-SR

March 15, 2006

PARKHILL WEST TOWNHOMES LLC 2001 YORK STREET DENVER CO 80205

**RE: 3746 JACKSON ST** 

Dear Owner,

As part of the VB/I-70 Superfund Site investigation, we recently took soil samples at your property to find out if there is too much lead or arsenic in your yard. The results show that your property does not require a cleanup. The levels of both lead and arsenic are below our cleanup levels. The soil sampling results for your property are as follows:

ADDRESS: 3746 JACKSON ST	EPA Cleanup Levels
Lead	
40 parts per million (ppm)	above 400 ppm
Arsenic	**
7 ppm	above 70 ppm

This means that your property is not considered by EPA to be part of the VB/I-70 Superfund Site. EPA does not believe that further measures are necessary. You and your family are not at significant risk from arsenic through ordinary contact with soil in your yard while playing, working, gardening, etc. Please note that there may be small areas in your yard, particularly near your house, that may have higher levels of lead due to peeling, external lead-based paint. EPA encourages all owners of older properties to take reasonable precautions regarding lead-based paint.

For further information, please feel free to contact EPA Community Involvement Coordinators Jennifer Chergo at (303) 312-6601 or Patricia Courtney at (303) 312-6631.

Sincerely.

Victor Ketellapper

Remedial Project Manager

The Environmental Protection Agency, Region 8

## Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample 1D: VB-3746-JK-01 Client Project ID: 213001.01 Date Collected: 1/31/06 Date Received: 2/7/06

Lab Work Order: 06-0774
Lab Sample ID: 06-0774-11
Sample Matrix: Soil

**METALS** 

Method: SW6010 Prep Method: SW3050

Date Prepared: 2/15/06 Dilution Factor: Lab File ID: 021606PM Date Analyzed: 2/16/06 Method Blank: MB-9253 Lab Fraction ID: 06-0774-11A Analytes **CAS Number** Result LOL U Arsenic 7440-38-2 4.1 mg/Kg 7439-92-1 18 Lead 5.9 mg/Kg

Analyst

///b

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

\*-Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 2/20/06

### Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample 1D: VB-3746-JK-02 Client Project 1D: 213001.01 Date Collected: 1/31/06 Date Received: 2/7/06

Lab Work Order: 06-0774 Lab Sample ID: 06-0774-12 Sample Matrix: Soil

Sample Matrix

METALS

Method: SW6010 Prep Method: SW3050

Date Prepared: 2/15/06 Lab File ID: 021606PM Dilution Factor: 1

Method Blank: MB-9253 Lab Fraction ID: 06-0774-12A Date Analyzed: 2/16/06 Analytes **CAS Number** Result LQL Units Arsenic 7440-38-2 6.7 4.1 mg/Kg 7439-92-1 77 Lead 6.0 mg/Kg

Analyst

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

\*-Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Approved

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 2/20/06

#### Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample ID: VB-3746-JK-03 Client Project ID: 213001.01 Date Collected: 1/31/06 Date Received: 2/7/06

Lab Work Order: 06-0774 06-0774-13 Lab Sample 1D: Sample Matrix: Soil

**METALS** 

Prep Method: SW3050 Method: SW6010

Date Prepared: 2/15/06 Lab File ID: 021606PM Dilution Factor:

Date Analyzed: 2/16/06 Method Blank: MB-9253 Lab Fraction ID: 06-0774-13A Analytes **CAS Number** Result LQL Units Arsenic 7440-38-2 U 4.1 mg/Kg Lead 7439-92-1 25 5.9 mg/Kg

Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative


• -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LOL exceeds MCL,

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 2/20/06





# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8 Victor Ketellapper Phone 800-227-8917 http://www.epa.gov/region08

#### **CONSENT FOR ACCESS TO PROPERTY**

Name: Parkhill West Townhomes LLC (or current property owner)

Location of Property: 3746 Jackson Street

I consent to officers, employees, and authorized representatives of the United States Environmental Protection Agency (EPA) entering and having continued access to the above referenced property for the purpose of taking samples of soil on the Site.

I realize that these actions are undertaken pursuant to EPA's response and enforcement responsibilities under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA or Superfund), 42 U.S.C. § 9601 et seq.

Phone Number

2/13/05